



Alpha Tech Pet

this product is not to be used on animals/pets

KennelSol®

**GERMICIDAL
DETERGENT AND DEODORANT
DISINFECTANT AND SANITIZER**

Disinfects, sanitizes, cleans, and deodorizes in one labor saving step when used according to disinfection directions for use.



ACTIVE INGREDIENTS:

Didecyl dimethyl ammonium chloride..... 2.535%
n-Alkyl (C₁₄ 50%, C₁₂ 40%, C₁₆ 10%)
dimethyl benzyl ammonium chloride..... 1.690%

OTHER INGREDIENTS..... 95.775%

TOTAL..... 100.000%

KEEP OUT OF REACH OF CHILDREN DANGER

See back panel for Directions for Use.

EPA Reg. No. 62472-1

EPA Est. No. 10634-MA-1

Net Contents: 1 Pint (0.47 Liters)

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER. Corrosive. Causes irreversible eye damage and skin burns. Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing spray mist. Do not get in eyes, on skin, or on clothing. Wear protective eyewear (goggles, face shield or safety glasses), protective clothing and protective gloves (rubber or chemical resistant). Wash thoroughly with soap and water after handling and before eating drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15 – 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 – 20 minutes.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor or going for treatment.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.



Scan the QR code for the full KennelSol EPA registered label at omegavets.com/kennelsol-epa

Manufactured for:

Alpha Tech Pet, Inc.

25 Porter Road, Suite 210
Littleton, MA 01460 • 800-222-5537

© 2023 Alpha Tech Pet Incorporated
Made and Printed in U.S.A.



USE DIRECTIONS

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

This product is not for use on medical device surfaces.

DIRECTIONS FOR DISINFECTING: (Bactericidal, Fungicidal, Virucidal) For use on hard, non-porous non-food contact surfaces such as floors, walls, metal surfaces, stainless steel surfaces, glazed porcelain, and plastic surfaces. Remove visible filth and soil deposits then thoroughly apply product until surfaces are visibly wet. Use 2 ounces per gallon of water (9 ounces per gallon against canine parvovirus and Rabies Virus) for a minimum contact time of 2 minutes to kill SARS-CoV-2 or for 10 minutes to kill all organisms listed on the label in a single application. Can be applied with a cloth, mop, or sponge, as well as by coarse spray or soaking. The use solution is prepared fresh for each use then discarded. Rinsing is not necessary unless floors are to be waxed or polished.

FUNGICIDAL DIRECTIONS: For use in areas such as locker rooms, dressing rooms, shower and bath areas and exercise facilities follow disinfection directions.

MILDEWSTATIC INSTRUCTIONS: Will effectively control the growth of odor/stain causing mold and mildew when applied to hard, non-porous surfaces such as walls, floors, and table tops. Apply solution (2 ounces per gallon of water) with a cloth, mop, sponge or coarse spray making sure to wet all surfaces completely. Let air dry. Repeat application weekly or when growth reappears.

VETERINARY CLINICS / ANIMAL CARE / ANIMAL LIFE SCIENCE LABORATORIES / ZOOS / PET SHOP / KENNELS / BREEDING AND GROOMING ESTABLISHMENTS / EQUINE AND LIVESTOCK FARMS / SWINE PREMISES / POULTRY PREMISES

DISINFECTION DIRECTIONS: For disinfecting the following hard nonporous surfaces: equipment used for animal food or water, utensils, instruments, cages, kennels, stables, catteries, etc. Remove all animals and feeds from premises, animal transportation vehicles, crates, etc. Remove all litter, droppings and manure from floors, walls and surfaces of facilities occupied or traversed by animals. Thoroughly clean all surfaces with soap or detergent and rinse with water. Saturate surfaces until visibly wet with a solution of 2 oz of KennelSol per gallon of water (1:64) (or equivalent dilution) (9 ounces per gallon (1:14) against Canine parvovirus and Rabies virus), using a cloth, mop, sponge, spray, or soaking product for a period of 2 minutes to kill SARS-CoV-2 or for 10 minutes to kill all organisms listed on the label. Prepare a fresh solution daily or when visibly dirty. For spray applications, spray 6-8 inches from surface. Do not breathe spray. Ventilate buildings and other closed spaces. Do not house animals or employ equipment until treatment has been absorbed, set or dried.

****FOR CANINE PARVOVIRUS AND RABIES VIRUS ACTIVITY:** KennelSol is effective against Canine Parvovirus and Rabies Virus at 9 oz. per gallon. Follow Veterinary Practice / Animal Care / Animal Laboratory / Zoos / Pet Shop / Kennels Disinfection Directions.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE

Store in original container in areas inaccessible to children. Open dumping is prohibited. Do not reuse empty container.

PESTICIDE DISPOSAL

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your local State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER HANDLING

Nonrefillable container. Do not reuse or refill this container. Triple rinse container promptly after emptying. Triple rinse as follows: Fill container ¼ full with water and recap. Shake 10 seconds. Drain for 10 seconds after the flow begins to drip. Follow Pesticide Disposal instructions for rinsate disposal. Repeat procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.